

EAST BRS Search #2

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2440	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	USPAT	OR	ON	2005/09/27 14:23
L9	87583	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	USPAT	OR	ON	2005/09/27 14:23
L10	571	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	USPAT	OR	ON	2005/09/27 14:23
L11	88716	L8 or L9 or L10	USPAT	OR	ON	2005/09/27 14:23
L12	79851	(magnetic ADJ3 (medium or media or disk or disc)) or HDD or HDA or DASD	USPAT	OR	ON	2005/09/27 14:23
L13	1724	L11 same (test\$3 or evaluat\$3)	USPAT	OR	ON	2005/09/27 14:23
L14	134	L13 and L12	USPAT	OR	ON	2005/09/27 14:23
L15	1295	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	US-PGPUB	OR	ON	2005/09/27 14:24
L16	30073	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	US-PGPUB	OR	ON	2005/09/27 14:24

Searched circled L #

L17	420	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	US-PGPUB	OR	ON	2005/09/27 14:24
L18	30607	L15 or L16 or L17	US-PGPUB	OR	ON	2005/09/27 14:24
L19	703	L18 same (test\$3 or evaluat\$3)	US-PGPUB	OR	ON	2005/09/27 14:24
L20	56715	(magnetic ADJ3 (medium or media or disk or disc)) or HDD or HDA or DASD	US-PGPUB	OR	ON	2005/09/27 14:24
(L21)	77	L19 and L20	US-PGPUB	OR	ON	2005/09/27 14:24
L22	140	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	EPO	OR	ON	2005/09/27 14:25
L23	3761	(actuator\$1 or positioner\$1 or positioning or (displac\$1ment ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	EPO	OR	ON	2005/09/27 14:25
L24	46	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	EPO	OR	ON	2005/09/27 14:25
L25	3880	L22 or L23 or L24	EPO	OR	ON	2005/09/27 14:25
L26	69	L25 same (test\$3 or evaluat\$3)	EPO	OR	ON	2005/09/27 14:25
L27	124756	medium or media or disk or disc or HDD or HDA or DASD	EPO	OR	ON	2005/09/27 14:25
(L28)	3	L26 and L27	EPO	OR	ON	2005/09/27 14:25
L29	325	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	JPO	OR	ON	2005/09/27 14:26

Searched circled L #'s

L30	11314	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	JPO	OR	ON	2005/09/27 14:26
L31	101	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	JPO	OR	ON	2005/09/27 14:26
L32	11599	L29 or L30 or L31	JPO	OR	ON	2005/09/27 14:26
L33	103	L32 same (test\$3 or evaluate\$3)	JPO	OR	ON	2005/09/27 14:26
L34	500897	medium or media or disk or disc or HDD or HDA or DASD	JPO	OR	ON	2005/09/27 14:26
(L35)	16	L33 and L34	JPO	OR	ON	2005/09/27 14:26
L36	1083	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	DERWENT	OR	ON	2005/09/27 14:27
L37	21175	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	DERWENT	OR	ON	2005/09/27 14:27
L38	348	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	DERWENT	OR	ON	2005/09/27 14:27
L39	22087	L36 or L37 or L38	DERWENT	OR	ON	2005/09/27 14:26
L40	264	L39 same (test\$3 or evaluate\$3)	DERWENT	OR	ON	2005/09/27 14:27
L41	932000	medium or media or disk or disc or HDD or HDA or DASD	DERWENT	OR	ON	2005/09/27 14:28
(L42)	32	L40 and L41	DERWENT	OR	ON	2005/09/27 14:26

Searched circled L #'s

L43	17	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	IBM_TDB	OR	ON	2005/09/27 14:27
L44	218	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	IBM_TDB	OR	ON	2005/09/27 14:27
L45	5	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	IBM_TDB	OR	ON	2005/09/27 14:27
L46	230	L43 or L44 or L45	IBM_TDB	OR	ON	2005/09/27 14:27
L47	23	L46 same (test\$3 or evaluat\$3)	IBM_TDB	OR	ON	2005/09/27 14:28
L48	10394	medium or media or disk or disc or HDD or HDA or DASD	IBM_TDB	OR	ON	2005/09/27 14:28
L49	4	L47 and L48	IBM_TDB	OR	ON	2005/09/27 14:28

Searched circled L #

EAST BRS Search #3

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2440	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	USPAT	OR	ON	2005/09/27 19:16
L2	87583	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	USPAT	OR	ON	2005/09/27 19:16
L3	571	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	USPAT	OR	ON	2005/09/27 19:16
L4	88716	L1 or L2 or L3	USPAT	OR	ON	2005/09/27 18:20
L5	168713	stroke	USPAT	OR	ON	2005/09/27 18:47
L6	1981	L4 same L5	USPAT	OR	ON	2005/09/27 18:20
L7	11815	actuator same stroke	USPAT	OR	ON	2005/09/27 18:20
L8	12138	L6 or L7	USPAT	OR	ON	2005/09/27 18:20
L9	79851	(magnetic ADJ3 (medium or media or disk or disc)) or HDD or HDA or DASD	USPAT	OR	ON	2005/09/27 19:18
L10	411	L8 and L9	USPAT	OR	ON	2005/09/27 18:38
L11	0	"6801377".uref.	USPAT	OR	ON	2005/09/27 18:38
L12	0	Zhu.in. and Yang.in. and Zhang.in. and Cha.in.	USPAT	OR	ON	2005/09/27 18:39
L13	1	Zhu.in. and Yang.in. and Zhang.in. and Cha.in.	US-PGPUB	OR	ON	2005/09/27 18:45
L14	904	L4 NEAR10 stroke	USPAT	OR	ON	2005/09/27 18:47
L15	6689	actuator NEAR10 stroke	USPAT	OR	ON	2005/09/27 18:48
L16	2973	L15 and L4	USPAT	OR	ON	2005/09/27 18:48
L17	147	L16 and L9	USPAT	OR	ON	2005/09/27 18:49
L18	2236	L16 not L14	USPAT	OR	ON	2005/09/27 18:50
L19	101	L18 and L9	USPAT	OR	ON	2005/09/27 18:50
L20	601087	displacement or deviation or deflection	USPAT	OR	ON	2005/09/27 19:19

L21	2696	L4 NEAR10 L20	USPAT	OR	ON	2005/09/27 19:02
<u>L22</u>	259	L21 and L9	USPAT	OR	ON	2005/09/27 19:03
L23	1295	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	US-PGPUB	OR	ON	2005/09/27 19:27
L24	30073	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	US-PGPUB	OR	ON	2005/09/27 19:35
L25	420	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	US-PGPUB	OR	ON	2005/09/27 19:35
L26	30607	L23 or L24 or L25	US-PGPUB	OR	ON	2005/09/27 19:17
L27	797	L26 NEAR10 stroke	US-PGPUB	OR	ON	2005/09/27 19:17
L28	2047	actuator NEAR10 stroke	US-PGPUB	OR	ON	2005/09/27 19:17
L29	1378	L26 and L28	US-PGPUB	OR	ON	2005/09/27 19:18
L30	686	L29 not L27	US-PGPUB	OR	ON	2005/09/27 19:18
L31	56715	(magnetic ADJ3 (medium or media or disk or disc)) or HDD or HDA or DASD	US-PGPUB	OR	ON	2005/09/27 19:18
L32	47	L30 and L31	US-PGPUB	OR	ON	2005/09/27 19:18
L33	163548	displacement or deviation or deflection	US-PGPUB	OR	ON	2005/09/27 19:37
L34	1172	L26 NEAR10 L33	US-PGPUB	OR	ON	2005/09/27 19:20
L35	135	L31 and L34	US-PGPUB	OR	ON	2005/09/27 19:20
<u>L36</u>	180	L32 or L35	US-PGPUB	OR	ON	2005/09/27 19:20
L37	140	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	EPO	OR	ON	2005/09/27 19:38

Searched circled L #'s

L38	3761	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	EPO	OR	ON	2005/09/27 19:39
L39	46	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	EPO	OR	ON	2005/09/27 19:39
L40	3880	L37 or L38 or L39	EPO	OR	ON	2005/09/27 19:36
L41	26	L40 NEAR10 stroke	EPO	OR	ON	2005/09/27 19:36
L42	239	actuator NEAR10 stroke	EPO	OR	ON	2005/09/27 19:40
L43	42	L40 and L42	EPO	OR	ON	2005/09/27 19:37
L44	18	L43 not L41	EPO	OR	ON	2005/09/27 19:37
L45	124756	medium or media or disk or disc or HDD or HDA or DASD	EPO	OR	ON	2005/09/27 19:39
L46	0	L44 and L45	EPO	OR	ON	2005/09/27 19:37
L47	42700	displacement or deviation or deflection	EPO	OR	ON	2005/09/27 19:40
L48	121	L40 NEAR10 L47	EPO	OR	ON	2005/09/27 19:38
L49	6	L48 and L45	EPO	OR	ON	2005/09/27 19:38
L50	325	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	JPO	OR	ON	2005/09/27 19:42
L51	11314	(actuator\$1 or positioner\$1 or positioning or (displacement ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	JPO	OR	ON	2005/09/27 19:42

Searched circled L #

L52	101	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	JPO	OR	ON	2005/09/27 19:43
L53	11599	L50 or L51 or L52	JPO	OR	ON	2005/09/27 19:39
L54	500897	medium or media or disk or disc or HDD or HDA or DASD	JPO	OR	ON	2005/09/27 19:43
L55	69	L53 NEAR10 stroke	JPO	OR	ON	2005/09/27 19:39
L56	813	actuator NEAR10 stroke	JPO	OR	ON	2005/09/27 19:40
L57	89	L53 and L56	JPO	OR	ON	2005/09/27 19:40
L58	35	L57 not L55	JPO	OR	ON	2005/09/27 19:40
L59	4	L58 and L54	JPO	OR	ON	2005/09/27 19:40
L60	168722	displac\$1ment or deviation or deflection	JPO	OR	ON	2005/09/27 19:44
L61	833	L53 NEAR10 L60	JPO	OR	ON	2005/09/27 19:41
L62	46	L54 and L61	JPO	OR	ON	2005/09/27 19:41
L63	1083	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	DERWENT	OR	ON	2005/09/27 19:52
L64	21175	(actuator\$1 or positioner\$1 or positioning or (displac\$1ment ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	DERWENT	OR	ON	2005/09/27 19:52
L65	348	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	DERWENT	OR	ON	2005/09/27 19:52
L66	22087	L63 or L64 or L65	DERWENT	OR	ON	2005/09/27 19:43
L67	130	L66 NEAR10 stroke	DERWENT	OR	ON	2005/09/27 19:43
L68	1360	actuator NEAR10 stroke	DERWENT	OR	ON	2005/09/27 19:43
L69	1250	L68 not L67	DERWENT	OR	ON	2005/09/27 19:43
L70	932000	medium or media or disk or disc or HDD or HDA or DASD	DERWENT	OR	ON	2005/09/27 19:52
L71	103	L69 and L70	DERWENT	OR	ON	2005/09/27 19:43
L72	260588	displac\$1ment or deviation or deflection	DERWENT	OR	ON	2005/09/27 19:53

L73	758	L66 NEAR10 L72	DERWENT	OR	ON	2005/09/27 19:45
L74	75	L73 and L70	DERWENT	OR	ON	2005/09/27 19:45
(L75)	178	L71 or L74	DERWENT	OR	ON	2005/09/27 19:45
L76	17	microactuator\$1 or milliactuator\$1 or picoactuator\$1 or (micro ADJ actuator\$1) or (milli ADJ actuator\$1) or (pico ADJ actuator\$1) or micropositioner\$1 or (micro ADJ positioner\$1) or subactuator\$1 or (sub ADJ actuator\$1)	IBM_TDB	OR	ON	2005/09/27 19:52
L77	218	(actuator\$1 or positioner\$1 or positioning or (displac\$1ment ADJ element\$1)) NEAR2 (auxiliary or second\$3 or fine\$2 or dual or two or multiple or plural\$3 or piezo or piezo-electric\$4 or piezoelectric\$4 or PZT or bimorph\$2 or MEM or MEMS or piggyback\$3 or (piggy ADJ3 back\$3) or electrostatic\$4 or (electro ADJ static\$4) or ((fast or high or wide or large) NEAR1 (resolution or response or bandwidth\$1 or (band ADJ width\$1))))	IBM_TDB	OR	ON	2005/09/27 19:52
L78	5	micro-actuator\$1 or milli-actuator\$1 or pico-actuator\$1 or micro-positioner\$1 or sub-actuator\$1	IBM_TDB	OR	ON	2005/09/27 19:52
L79	230	L76 or L77 or L78	IBM_TDB	OR	ON	2005/09/27 19:52
L80	10394	medium or media or disk or disc or HDD or HDA or DASD	IBM_TDB	OR	ON	2005/09/27 19:52
L81	83	L79 and L80	IBM_TDB	OR	ON	2005/09/27 19:53
L82	0	L79 NEAR10 stroke	IBM_TDB	OR	ON	2005/09/27 19:53
L83	17	actuator NEAR10 stroke	IBM_TDB	OR	ON	2005/09/27 19:53
L84	1	L81 and L83	IBM_TDB	OR	ON	2005/09/27 19:53
L85	3089	displac\$1ment or deviation or deflection	IBM_TDB	OR	ON	2005/09/27 19:54
L86	2	L79 NEAR10 L85	IBM_TDB	OR	ON	2005/09/27 19:54
(L87)	3	L84 or L86	IBM_TDB	OR	ON	2005/09/27 19:54

Searched circled L #'s



Welcome United States Patent and Trademark Office

[Home](#) | [Login](#) | [Logout](#) | [Access Info](#)

☐ Advanced Search

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)



OPTION 1

Enter keywords or phrases, select fields, and select operators



[Help](#)

in All Fields

in All Fields

in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.



OPTION 2

Enter keywords, phrases, or a Boolean expression



[Help](#)

(microactuator <or> milliactuator <or>
picoactuator <or> subactuator or
(piggyback ADJ actuator) <or>
(electrostatic ADJ actuator)) <and>
(stroke <or> displacement <or> deviation
<or> deflection) <and> magnetic <and>

(medium <or> media
<or> disk <or> disc)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.
» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proc
- ☒ IEE Conference Proce
- ☒ IEEE Standards

» Other Resources (Available for F

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update
- ☒ From year to

» Display Format

- ☒ Citation
- ☐ Citation

» Organize results

Maximum

Display resu

Sort by

In

[Help](#) [Contac](#)
[© Cop](#)





Find results

with **all** of the words

microactuator stroke

10 results

with the **exact phrase**

Google Search

with **at least one** of the words

evaluate evaluating test testing

without the words

Language

Return pages written in

any language

File Format

Only

 return results of the file format

any format

Date

Return web pages updated in the

anytime

Occurrences

Return results where my terms occur

anywhere in the page

Domain

Only

 return results from the site or domain

e.g. google.com, .org [More info](#)

SafeSearch

☒ No filtering ☐ Filter using [SafeSearch](#)

Page-Specific Search

Similar

Find pages similar to the page

Search

e.g. www.google.com/help.html

Links

Find pages that link to the page

Search

Topic-Specific Searches

- [Google Print](#) - Search the full text of books
- [Google Scholar](#) - Search scholarly papers
- [Apple Macintosh](#) - Search for all things Mac
- [BSD Unix](#) - Search web pages about the BSD operating system
- [Linux](#) - Search all penguin-friendly pages
- [Microsoft](#) - Search Microsoft-related pages
- [U.S. Government](#) - Search all .gov and .mil sites
- [Universities](#) - Search a specific school's website